

VOLUME 19 CONTENTS

Number 1

- | | | |
|---|----|---|
| B. K. SWARD and M. D. LEVAN | 1 | Examination of the performance of a compression-driven adsorption cooling cycle |
| A. C. CAPUTO and P. M. PELAGAGGE | 21 | Heat recovery from moving cooling beds: transient modeling by dynamic simulation |
| A. W. SIEBERT, D. HIGHGATE and M. NEWBOROUGH | 37 | Heat transfer characteristics of mechanically-stimulated particle beds |
| R. P. TAYLOR, B. K. HODGE and C. A. JAMES | 51 | Estimating uncertainty in thermal systems analysis and design |
| Y. S. H. NAJJAR | 75 | Comparison of performance of the integrated gas and steam cycle (IGSC) with the combined cycle (CC) |
| J. E. B. NELSON, A. R. BALAKRISHNAN and S. SRINIVASA MURTHY | 89 | Parametric studies on thermally stratified chilled water storage systems |

I Calendar

III PatentsALERT

Number 2

- | | | |
|---|-----|--|
| T. T. CHOW and Z. LIN | 117 | Prediction of on-coil temperature of condensers installed at tall building re-entrant |
| H. KAWASAKI, T. WATANABE and A. KANZAWA | 133 | Proposal of a chemical heat pump with paraldehyde depolymerization for cooling system |
| N. D. KAUSHIKA and K. S. REDDY | 145 | Thermal design and field experiment of transparent honeycomb insulated integrated-collector-storage solar water heater |
| K. A. R. ISMAIL, O. C. QUISPE and J. R. HENRÍQUEZ | 163 | A numerical and experimental study on a parallel plate ice bank |
| L. Z. ZHANG and L. WANG | 195 | Effects of coupled heat and mass transfers in adsorbent on the performance of a waste heat adsorption cooling unit |
| J.-S. KIM, Y. PARK and H. Lee | 217 | Performance evaluation of absorption chiller using $\text{LiBr} + \text{H}_2\text{N}(\text{CH}_2)_2\text{OH} + \text{H}_2\text{O}$, $\text{LiBr} + \text{HO}(\text{CH}_2)_3\text{OH} + \text{H}_2\text{O}$, and $\text{LiBr} + (\text{HOCH}_2\text{CH}_2)_2\text{NH} + \text{H}_2\text{O}$ as working fluids |

I Calendar

Number 3

- | | | |
|---|-----|--|
| G. HEYEN and
B. KALITVENTZEFF | 227 | A comparison of advanced thermal cycles suitable for upgrading existing power plant |
| Y. KATO, N. HARADA and
Y. YOSHIKAWA | 239 | Kinetic feasibility of a chemical heat pump for heat utilization of high-temperature processes |
| G. CACCIOLA, G. RESTUCCIA
and G. H. W. VAN BENTHEM | 255 | Influence of the adsorber heat exchanger design on the performance of the heat pump system |
| R. BASKIYAR | 271 | Analysis of the temperature profile of a rolled structural steel section with a view to reducing its camber |
| M. SCOTT, Å. JERNQVIST,
J. OLSSON and G. ALY | 279 | Experimental and theoretical study of an open multi-compartment absorption heat transformer for different steam temperatures. Part I: hydrodynamic and heat transfer characteristics |
| D. T. HOUNTALAS and
A. D. KOUREMENOS | 299 | Development and application of a fully automatic troubleshooting method for large marine diesel engines |
| | 325 | Announcement |
| | I | Calendar |

Number 4

- | | | |
|--|-----|---|
| C. APREA, M. ASCANI
and F. DE ROSSI | 329 | A criterion for predicting the possible advantage of adopting a suction/liquid heat exchanger in refrigerating system |
| S. D. WHITE | 337 | A novel solvent separation process with integrated open-cycle absorption refrigeration |
| A. CAROTENUTO, C. CASAROSA
and L. MARTORANO | 349 | The geothermal convector: experimental and numerical results |
| M. G. MARSHALL
and A. C. METAXAS | 375 | Radio frequency assisted heat pump drying of crushed brick |
| A. J. JOLLY, T. O'DOHERTY
and C. J. BATES | 389 | COHEX: a computer model for solving the thermal energy exchange in an ultra high temperature heat exchanger. Part B: validation and results |
| K. S. ONG and
MD. HAIDER-E-ALALHI | 399 | Experimental investigation on the hysteresis effect in vertical two-phase closed thermosyphons |

M. SCOTT, Å. JERNQVIST,
J. OLSSON and G. ALY

- 409 Experimental and theoretical study of an open multi-compartment absorption heat transformer for different steam temperatures. Part II: process modelling and simulation

M. SCOTT, Å. JERNQVIST
and G. ALY

- 431 Experimental and theoretical study of an open multi-compartment absorption heat transformer for different steam temperatures. Part III: application to process industry

I Calendar

Number 5

K. SUMATHY

- 449 Experimental studies on a solar thermal water pump

S. SANTOYO-GUTIÉRREZ,
J. SIQUEIROS, C. L. HEARD,
E. SANTOYO and F. A. HOLLAND

- 461 An experimental integrated absorption heat pump effluent purification system. Part I: operating on water/lithium bromide solutions

J. SIQUEIROS and O. BONILLA

- 477 An experimental study of a three-phase, direct-contact heat exchanger

JOSÉE TRUDEL,
SOPHIE HOSATTE and
MARTEN TERNAN

- 495 Solid-gas equilibrium in chemical heat pumps: the $\text{NH}_3\text{-CoCl}_2$ system

M. LAPUERTA, O. ARMAS and
J. J. HERNÁNDEZ

- 513 Diagnosis of DI Diesel combustion from in-cylinder pressure signal by estimation of mean thermodynamic properties of the gas

H. M. SABIR, I. W. EAMES and
K. O. SUEN

- 531 The effect of non-condensable gases on the performance of film absorbers in vapour absorption systems

D. T. LI, R. XIONG and H. XUE

- 543 Temperature measurement in the swirl chamber of an IDI engine using Moiré deflectometry

JINCAN CHEN and
JAN A. SCHOUTEN

- 555 The comprehensive influence of several major irreversibilities on the performance of an Ericsson heat engine

I Calendar

Number 6

M. W. BROWNE and P. K. BANSAL

- Review Papers
565 An overview of condensation heat transfer on horizontal tube bundles

- M. W. BROWNE and P. K. BANSAL 595 Heat transfer characteristics of boiling phenomenon in flooded refrigerant evaporators
- D. GANGA CHARYULU, G. SINGH and J. K. SHARMA 625 Research Papers
Performance evaluation of a radiator in a diesel engine—a case study
- A. AVCI and M. CAN 641 The analysis of the drying process on unsteady forced convection in thin films of ink
- S. E. ALY 659 Energy efficient combined superheated steam dryer/MED
- C. MELO, R. T. S. FERREIRA, C. BOABAI NETO, J. M. GONÇALVES and M. M. MEZAVILA 669 An experimental analysis of adiabatic capillary tubes

I Calendar

III PatentsALERT

Number 7

- R. K. SHAH and T. SKIEPKO 685 Influence of leakage distribution on the thermal performance of a rotary regenerator
- H. AXELSSON, A. ÅSBLAD and T. BERTSSON 707 A new methodology for greenhouse gas reduction in industry through improved heat exchanging and/or integration of combined heat and power
- A. M. SHARIAH, A. ROUSAN, KH. K. ROUSAN and A. A. AHMAD 733 Effect of thermal conductivity of absorber plate on the performance of a solar water heater
- K. A. ANTONOPOULOS and E. KORONAKI 743 Envelope and indoor thermal capacitance of buildings
- K. A. R. ISMAIL and R. STUGINSKY JR. 757 A parametric study on possible fixed bed models for pcm and sensible heat storage
- H. M. S. HUSSEIN, M. A. MOHAMAD and A. S. EL-ASFOURI 789 Transient investigation of a thermosyphon flat-plate solar collector
- YANG ZHAO, MA YITAI, LI YIE, CHEN ZHONGHAI and MA LISHAN 801 Technical Note
The performance of some substitutes for HCFC22 under varying operating conditions

I Calendar

Number 8

- | | | |
|--|-----|---|
| WONGEE CHUN,
YONG HEACK KANG,
HEE YOUL KWAK and
YOUNG SOO LEE | 807 | An experimental study of the utilization of heat pipes for solar water heaters |
| P. RIVERA-ORTEGA,
M. PICON-NÚÑEZ,
E. TORRES-REYES and
A. GALLEGOS-MUNOZ | 819 | Thermal integration of heat pumping systems in distillation columns |
| S. V. SHELTON and
P. J. CHRISTIANSEN | 831 | Analysis of a nozzle condensation drying cycle |
| S. LALOT, P. FLORENT,
S. K. LANG and A. E. BERGLES | 847 | Flow maldistribution in heat exchangers |
| J. C. HO and
N. E. WIJEYSUNDERA | 865 | An unmixed-air flow model of a spiral coil cooling dehumidifying unit |
| M. H. SAIDI, M. OHADI and
M. SOUHAR | 885 | Enhanced pool boiling of R-123 refrigerant on two selected tubes |
| S. K. DAS | 897 | Thermal modelling of DC continuous casting including submould boiling heat transfer |
| | I | Calendar |
| | III | PatentsALERT |

Number 9

- | | | |
|---|------|---|
| M. PICON-NÚÑEZ, G. T. POLLEY,
E. TORRES-REYES and
A. GALLEGOS-MUNOZ | 917 | Surface selection and design of plate-fin heat exchangers |
| Y. T. KANG, A. AKISAWA and
T. KASHIWAGI | 933 | An advanced GAX cycle for waste heat recovery: WGAX cycle |
| A. DATTA and S. K. SOM | 949 | Combustion and emission characteristics in a gas turbine combustor at different pressure and swirl conditions |
| C. CORTÉS and A. CAMPO | 969 | Rapid computation of the exit temperature of hot combustion gases flowing inside chimneys |
| T. DELLERO, D. SARMEIO and
PH TOUZAIN | 991 | A chemical heat pump using carbon fibers as additive. Part I: enhancement of thermal conduction |
| T. DELLERO and PH TOUZAIN | 1001 | A chemical heat pump using carbon fibers as additive. Part II: study of constraint parameters |

M. AL-NIMR, M. TAHAT and
M. AL-RASHDAN

- 1013 A night cold storage system enhanced by radiative cooling—a modified Australian cooling system

I Calendar

III PatentsALERT

Number 10

H. KHALKHALI, A. FAGHRI and
Z. J. ZUO

- 1027 Entropy generation in a heat pipe system

J. L. NIJDAM and
C. W. M. VAN DER GELD

- 1045 A comparison of hybrid and numerical techniques to model heat transfer in reverse flow reactors

O. BADR, G. A. KARIM
and B. LIU

- 1071 An examination of the flame spread limits in a dual fuel engine

B. A. JUBRAN and
A. S. AL-SALAYMEH

- 1081 Thermal wakes measurement in electronic modules in the presence of heat transfer enhancement devices

B. AGNEW, M. TALBI and
M. MOSTAFAVI

- 1097 Combined power and cooling, an analysis of the combined Diesel-absorption cycle

F. FERMANEL and J. MIRIEL

- 1107 Air heating system: influence of a humidifier on thermal comfort

I Calendar

III PatentsALERT

Number 11

S. Y. LIANG, M. LIU, T. N. WONG
and G. K. NATHAN

- 1129 Analytical study of evaporator coil in humid environment

L. BUZZONI, R. DALL'OLIO and
M. SPIGA

- 1147 Efficiency of the unit cell in rectangular finned tube arrangements

M. TATLIER and
A. ERDEM-ŞENATALAR

- 1157 The effects of thermal gradients in a solar adsorption heat pump utilizing the zeolite-water pair

YOU YING and E. J. HU

- 1173 Thermodynamic advantages of using solar energy in the regenerative Rankine power plant

M. A. HAMMAD and M. A. ALSAAD

- 1181 The use of hydrocarbon mixtures as refrigerants in domestic refrigerators

M. ISHIDA and J. JI

- 1191 Graphical exergy study on single stage absorption heat transformer

- L. SCHIBUOLA 1207 New transfer function coefficients to calculate building load
- H. R. GOSHAYSHI, J. F. MISSENDEN and R. TOZER 1223 Cooling tower—an energy conservation resource
- I Calendar
- III PatentsALERT

Number 12

- Z.-X. GONG, S. DEVAHASTIN and A. S. MUJUMDAR 1237 Enhanced heat transfer in free convection-dominated melting in a rectangular cavity with an isothermal vertical wall
- J. BANASZEK, R. DOMAŃSKI, M. REBOW and F. EL-SAGIER 1253 Experimental study of solid-liquid phase change in a spiral thermal energy storage unit
- G. GAN and S. B. RIFFAT 1279 Numerical simulation of closed wet cooling towers for chilled ceiling systems
- J. C. BRUNO, J. MIQUEL and F. CASTELLS 1297 Modeling of ammonia absorption chillers integration in energy systems of process plants
- I Calendar
- III PatentsALERT
- XV Title Page, Volume Contents and Author Index for Volume 19



